

# DACS inc.

MATERIAL HANDLING



# FlueKeeper®

KEEPS FLUE SPACES OPEN

[www.fluekeeper.com](http://www.fluekeeper.com)

# FlueKeeper®

A simple, cost effective product to keep stored material out of rack transverse flue spaces

FlueKeeper® from DACS US Patent #7,857,152

## Fluekeeper®

- Allows your sprinkler system to function as designed
- Provides 3" clearance between rack and stored material - Combined with 3" rack post width totals 6" flue space
- Reduces staff "housekeeping" duties
- Satisfies insurance company guidelines and local building inspector criteria (*may be required by International Fire Code® 2012 Edition*)
- Available for new installations or scheduled retrofit plans
- Spring-loaded Fluekeeper is easy for maintenance personnel to install from the aisle side of the rack - requires no special tools or skills
- Boltless Front & Rear connections make installation possible without removing any items



# FlueKeeper® FL

## Fluekeeper® Fixed Length

- For rack posts that do not accept Spring-Loaded version clips
- Fixed-length Fluekeeper® installs easily with TEK® screws



[www.fluekeeper.com](http://www.fluekeeper.com)


# FlueKeeper® HD

(HEAVY DUTY): A simple, cost effective product to keep palletized material out of rack transverse flue spaces

FlueKeeper® HD from DACS US Patent #7,857,152

## Fluekeeper® HD

- Allows your sprinkler system to function as designed
- Provides 3" transverse flue space on each side of rack post (6" total)
- Heavy duty tube member designed for up to 48" frames (deeper by special request)
- Boltless front & rear beam type connections make for easy installation, without any special tools or skills.
- Can be used at pallet and/or product elevations
- Satisfies insurance company guidelines and local building inspector criteria (*may be required by International Fire Code® 2012 Edition*)
- Connectors available for all major rack brands
- Suitable for new installations or scheduled retrofit programs



## Installation

**Step 1:** Install rear connector into rear post, engaging safety lock.

**Step 2:** Insert tube into rear connector.

**Step 3:** Insert tube into front connector, install front connector into front post, engaging safety lock.

**866-400-8107**

# FlueKeeper® LG

A simple, cost effective product to keep hand loaded material out of rack longitudinal flue spaces

## Fluekeeper® LG

- Allows your sprinkler system to function as designed
- Provides 6" longitudinal flue space between rack frames or behind single row
- Open wire mesh design allows for sprinkler water penetration
- Corrugated wire mesh provides superior stiffness at midspan to keep the flue space completely open
- Only one unit required for back to back frames
- Satisfies insurance company guidelines and local building inspector criteria (*may be required by International Fire Code® 2012 Edition*)
- Connectors available for all major rack brands
- Suitable for new installations or scheduled retrofit programs
- Boltless design makes installation easy without any special tools or skills.

## Installation

**Step 1:** Engage top two hooks.

**Step 2:** Stretch unit down to engage bottom two hooks, then release to lock in place.

Manufacturer of:

**PUNCH DECK®**  
OPEN AREA RACK DECK



# DACS

inc.

MATERIAL HANDLING



900 Port Centre Parkway, Portsmouth, VA 23704 USA  
Toll-free: 866-400-8107 • Toll-free fax: 866-401-8107  
+1-757-393-0704 • Fax: +1-757-393-9461  
e-mail: sales@dacsinc.com

[www.fluekeeper.com](http://www.fluekeeper.com)